

MAN Truck & Bus UK Ltd.



MAN Truck & Bus UK Ltd / Bailey Road / Trafford Park, Manchester

Silcone Engineering Ltd
 Blake Water Road
 Blackburn
 Lancashire
 BB1 3HU

Sold-to party	14011652
Payer	14011652
Order	3420197878
Customer order	3410142623

Contact person	Carolyn Scoular
Telephone	+44 (0) 1618 488

Order confirmation	Operation number	600661233	30.11.2009
---------------------------	-------------------------	------------------	-------------------

Thank you for your order dated 26.11.2009 . Your order will be processed in line with MAN Truck & Bus UK Limited Standard Terms and Conditions of Sale.

1 Truck New veh.

Vehicle model/Variant descrip.	TGM 15.290 4X2 BL	
GFZ Number	LN16NH30	
StClassPinNo./RsVhl		
Wheelbase	5475 mm	
Engine power in KW/HP / Emission class	0213 / 0290	EURO5
Number of tyres	6	

Homologation weights:

total v.weight all.	18500 kg
Total weight	15000 kg
Front axle weight	5600 kg
Rear axle weight	10000 kg

Delivery scope

Subassembly	Code	Variant
Engine Cooling System Clutch	018RW	Engine D0836LFL64 - 290 HP / 213 KW EURO5 - 1150

Frankland Road, Blagrove,
 Swindon, Wiltshire SN5 8YU
 Registered in England No: 2688514

Telephone: +44 (0)1793 448000
 Facsimile: +44 (0)1793 448260

Bank: HSBC
 Branch: Old Town, Swindon
 Account Number: 81374257

VAT Registration No: GB 576 2961 03

www.mantruckandbus.co.uk
 Email: Remittancesmtbuk@man.co.uk

Sort Code: 40-02-50
 IBAN GB39MIDL40025081374257
 Swift MIDLGB22



Order confirmation	Operation number	600661233	30.11.2009
---------------------------	-------------------------	------------------	-------------------

Delivery scope		
Subassembly	Code	Variant
		Nm C-R OBD2
	027AC	radiator and intercooler
	116AE	visco fan
	118MA	EDC engine regulation
	120EM	Oil sump for gradeability up to 30%
	124AL	fuel filter
	124AM	additional fuel filter with water trap, make SEPAR
	124XD	without heating for fuel filter
	205AP	1-cyl. compressor 238 cc
	208AB	engine brake with additional actuation via brake pedal
	208XD	without exhaust valve brake (EVB)
	210XX	without flame starting system
	211AD	clutch with 395 mm diameter
	345AV	Speed limiter electronic 85 km/h
	345EA	Cruise control
	542FC	anti-noise package 80 dB (92/97EEC)
Intake / Exhaust System	201CT	air intake upswept with dry air filter behind cab
	206ES	exhaust on rh side with tail pipe towards frame centre
Gearbox	022SF	gearbox ZF 12 AS 1210 OD MAN TipMatic
	121EH	neutral pos. switch
Front Axle / Front Springs / Front Axle Load	025LV	front axle VOK-06 dropped
	026EP	front springs parabolic 6.3 t
	026ZA	Caution: Front springs uprated to maximum
	363AA	Stabiliser for front axle



Order confirmation	Operation number	600661233	30.11.2009
---------------------------	-------------------------	------------------	-------------------

Delivery scope			
Subassembly	Code	Variant	
Rear Axle / Rear Springs / Rear Axle Load	028RP	rear air suspension 10 t	
	034NE	hypoid rear axle HY-1130	
	037XX	without differential lock in rear axle	
	258NA	ECAS air suspension	
	362AA	Stabiliser for rear axle	
Transmission ratios	035ET	hypoid axle ratio i = 3.70	
Rims	038IY	disc wheels 8-hole 8.25-19.5 on 1st front axle TL	
	038OY	disc wheels 8-hole 8.25-19.5 on 1st rear axle TL	
	038XT	without spare wheel	
	245XX	without spare wheel holder	
Tyres	80001	2 CO 305/70R19.5 HSR1 TL 148/145 M	
	90005	4 CO 285/70R19,5 HDR TL 145/143 M	
	90008	0 ZZ 285/70R19,5 OHNE ERS144/143 L	
Fuel Tanks	023AY	fuel tank 2 x 200l right	
	03KAA	fuel tank fitted	
	123CE	chain for tank cap	
	303AD	Lockable tank cap, 2 pcs, without vent, for identical locks	
Steering	001AC	steering arrangement, right	
	030AC	hydraulic steering	
	030EE	steering wheel with height and inclination adjustment	
	219AH	steering fluid tank with electr. sensor	



Order confirmation **Operation number** **600661233** 30.11.2009

Delivery scope

Subassembly	Code	Variant
	256AF	steering wheel lock with immobiliser
	257LX	multifunction steering wheel for 'L,LX,XL,XLX,XXL' cab
Frame	005EL	Wheelbase 5475 mm
	006TV	rear frame overhang 3075 mm
	230ER	front underride guard
	230XX	Without rear underride guard
	230YX	Without lateral underride guard
	232HC	synthetic bumper
	236AD	rear cross member
	241AE	body mounting brackets on frame
	258AA	with raising/ lowering mechanism
Brake System	032AB	MAN BrakeMatic (electronic brake system)
	258HA	anti-lock braking system (ABS)
	259CA	disc brake for front axle
	259CB	disc brake for rear axle
	262XX	without brake connection on frame end
	263AF	asbestos-free brake linings
	278AE	Air filler connection at front
	370CM	Air dryer
Cab exterior	050NF	L cab 2240mm wide, 2280mm long
	052AC	storage compartment accessible from outside, lid unlocked from inside
	233FC	spoiler loose
	272FA	Entry lighting for driver and co-driver
	283FN	Cab mounts air suspended at rear
	321EC	Central locking

Frankland Road, Blagrove,
Swindon, Wiltshire SN5 8YU
Registered in England No: 2688514

VAT Registration No: GB 576 2961 03

MAN Truck & Bus UK Limited – a subsidiary of MAN Truck & Bus AG

Telephone: +44 (0)1793 448000
Facsimile: +44 (0)1793 448260

www.mantruckandbus.co.uk
Email: Remittancesmtbuk@man.co.uk

Bank: HSBC
Branch: Old Town, Swindon
Account Number: 81374257

Sort Code: 40-02-50
IBAN GB39MIDL40025081374257
Swift MIDLGB22



Order confirmation	Operation number	600661233	30.11.2009
---------------------------	-------------------------	------------------	-------------------

Delivery scope		
Subassembly	Code	Variant
	380AC	Windscreen of laminated glass tinted
	380CA	Door windows tinted
	381AA	Cab rear wall without windows
	385AT	Side windows tinted behind B-post
	386AS	Mechanical sliding roof
	392AK	rear-view mirror(s) heatable and electrically adjustable
	392AS	Wide-angle mirror, right, heatable and electrically adjustable
	392AW	Kerb mirror, left, heatable and electrically adjustable
	392AX	Wide-angle mirror, left, heated and electrically adjustable
	392CL	EU front mirror on co-driver's side
	392HA	Mirror brackets for body width 2500-2600 mm width 2500 mm
	404AP	spray reducer
Cab interior	058BC	seat coverings in high-comfort quality
	058NR	high-comfort driver's seat with air suspension, lumbar support, shoulder adjustment and heating
	059NA	co-driver's seat static, with longitudinal + seat back adjustment
	080AF	door interior panelling fabric
	151ED	comfort electric package for cab
	153EX	air auxiliary heater EBERSPÄCHER AIRTRONIC D2
	153KC	air conditioning system AC R134A with automatic temperature control without CFHC
	276AC	Armrests for driver's seat
	319AA	reading lamps for driver and co-driver



Order confirmation	Operation number	600661233	30.11.2009
---------------------------	-------------------------	------------------	-------------------

Delivery scope		
Subassembly	Code	Variant
	376FA	1 bunk with storage space (with aluminium frame).
	376HA	Mattress for lower bunk
	376XK	Without Mattress for upper bunk
	378AM	1 pillow
	381CE	All-roand curtain
	381CM	Diagonal curtain
	384CD	Safety belt display, driver's side
	387AF	Electric door window lifters for driver and co-driver
	388AH	Roller blind for windscreen, mechanical
	389AC	handles left and right (on B-post)
	389AD	handles left and right (on A-post)
	390AT	Oddment box
	390AX	Storage compartment above windscreen
	390XB	without pigeon hole on rear wall
	395AA	ashtray on co-driver's side
	434ES	dashboard in standard version
	523AC	Signs in English
	538AF	Carpeted engine tunnel
Instruments	02AAC	instrument panel mph 'Base-Line'
	042DF	Digital tachograph, manufactured by SIEMENS
	142AF	calibrate tachograph
	325AA	MAN Tronic (on-board computer)
	325EC	Language 1 'English' for display in instrument panel
	325FA	Language 2 'German' for display in instrument panel
	339FP	Display on the dashboard for operating data
	343CN	Acoustic warning system for engaged reverse gear



Order confirmation	Operation number	600661233	30.11.2009
---------------------------	-------------------------	------------------	-------------------

Delivery scope	Code	Variant
-----------------------	-------------	----------------

		for Austria/fire service
	348AH	multifunction display in cab for coolant/windscreen washer/engine oil /steering oil/intake vacuum
Lights	309AA	Beam throw regulator
	310CL	additional headlights and foglights
	310EF	Halogen twin headlights H7 for left-hand traffic
	318AA	marker lamps
	318AK	lateral marker lights
	320AC	Switches and wiring for cargo space lighting
Radio / Communication Systems	350NK	Radio MAN CD 24V
Electrical System	324AA	Single-tone horn, electric
	326FZ	Socket in cab 12V 2-pole and 24V 2-pole
	326XY	Without 24 V socket at frame end
	329AK	2 batteries 12 V 140 Ah
	329ED	Battery box lockable (without lock)
	331CB	Alternator 28V 80A 2240 W
	331XF	Without fittings for Frigoblock
	396CC	windscreen washer electric
	434AF	cigar lighter and socket
Other	194AB	operator's manual in English
	400AH	mudflap front
	401CW	deletion of plastic mudguards
	405AC	first-aid kit
	405AK	hazard-warning sign



Order confirmation	Operation number	600661233	30.11.2009
---------------------------	-------------------------	------------------	-------------------

Delivery scope		
Subassembly	Code	Variant
	405CK	deletion of warning flasher
	407XX	Without jack
	411AA	1 chock
	GB102	UK Local Package
Operation and Country-specific Items	600AA	Fittings for left-hand traffic
ZL0	ZLA01	P.D.I and height indicator
	ZLA03	Tow bar and electrics
	ZLA04	W/B extension
	ZLS01	MAN Silver service
ZW0	ZW001	534DX - Permissible front axle load 6300 kg
Colours	LQA16	aerofoil
	LQN02	wheels
	LQN03	cab
	LQW01	chassis
	LVS01	chassis graphite black RAL 9011 matt
	LVS02	wheels White aluminium acrylic RAL 9006
	LVS03	cab REINWEISS RAL 9010
	LVS16	aerofoil REINWEISS RAL 9010